

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : A00390 MST PENETRATING LUBE 20NET19

Material number : 000000000001002456

Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE
Emerson, GA 30137

Telephone : 404-352-1680

Emergency telephone numbers**For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

| | |
|------------|-------------------------------------|
| Appearance | Aerosol containing a compressed gas |
| Colour | opaque, brown |
| Odour | solvent-like |

GHS ClassificationGases under pressure : Compressed gas
Skin irritation : Category 2
Eye irritation : Category 2A
Carcinogenicity : Category 1B
Specific target organ toxicity -
single exposure : Category 3 (Central nervous system)**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H280 Contains gas under pressure; may explode if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H350 May cause cancer.

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P251 Pressurized container: Do not pierce or burn, even after use.

Response:
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P362 Take off contaminated clothing and wash before reuse.

Storage:
 P410 + P403 Protect from sunlight. Store in a well-ventilated place.
 P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:
 P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|--|------------|-------------------|
| tetrachloroethylene | 127-18-4 | >= 50 - < 70 |
| Naphtha (petroleum), hydrotreated light | 64742-49-0 | >= 10 - < 20 |
| trichloroethylene | 79-01-6 | >= 5 - < 10 |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | >= 5 - < 10 |
| carbon dioxide | 124-38-9 | >= 1 - < 3 |
| 1,2,4-trimethylbenzene | 95-63-6 | >= 1 - < 3 |

The exact percentages of disclosed substances are withheld as trade secrets.

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
Wash off immediately with plenty of water for at least 15 minutes.
If on clothes, remove clothes.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.
Symptoms may include irritation, redness, pain, and rash.
Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.
Chronic effects are delayed and symptoms may not be observed during an exposure.
Effects are dependent on exposure (dose, concentration, contact time).
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May cause cancer.
Review section 2 of SDS to see all potential hazards.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
Water spray jet
- Unsuitable extinguishing media : High volume water jet

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Smoke
Chlorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Evacuate personnel to safe areas.
Ensure adequate ventilation.
Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.
Avoid exposure - obtain special instructions before use.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Always replace cap after use.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

red-hot objects.

Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|------------|----------------------------------|---|-----------|
| tetrachloroethylene | 127-18-4 | TWA | 25 ppm | ACGIH |
| | | STEL | 100 ppm | ACGIH |
| | | TWA | 100 ppm | OSHA Z-2 |
| | | CEIL | 200 ppm | OSHA Z-2 |
| | | Peak | 300 ppm | OSHA Z-2 |
| | | TWA | 25 ppm 170 mg/m ³ | OSHA P0 |
| | | STEL | 100 ppm 685 mg/m ³ | CAL PEL |
| | | C | 300 ppm | CAL PEL |
| trichloroethylene | 79-01-6 | PEL | 25 ppm 170 mg/m ³ | CAL PEL |
| | | TWA | 10 ppm | ACGIH |
| | | STEL | 25 ppm | ACGIH |
| | | TWA | 100 ppm | OSHA Z-2 |
| | | CEIL | 200 ppm | OSHA Z-2 |
| | | Peak | 300 ppm | OSHA Z-2 |
| | | TWA | 50 ppm 270 mg/m ³ | OSHA P0 |
| | | STEL | 200 ppm 1,080 mg/m ³ | OSHA P0 |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | STEL | 100 ppm 537 mg/m ³ | CAL PEL |
| | | C | 300 ppm | CAL PEL |
| | | PEL | 25 ppm 135 mg/m ³ | CAL PEL |
| | | TWA (Mist) | 5 mg/m ³ | OSHA Z-1 |
| carbon dioxide | 124-38-9 | TWA (Inhalable fraction) | 5 mg/m ³ | ACGIH |
| | | TWA | 5,000 ppm | ACGIH |
| | | STEL | 30,000 ppm | ACGIH |
| | | TWA | 5,000 ppm 9,000 mg/m ³ | NIOSH REL |
| | | ST | 30,000 ppm 54,000 mg/m ³ | NIOSH REL |

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

| | | | | |
|------------------------|---------|------|--|-----------|
| | | TWA | 5,000 ppm 9,000 mg/m ³ | OSHA Z-1 |
| | | TWA | 10,000 ppm 18,000 mg/m ³ | OSHA P0 |
| | | STEL | 30,000 ppm 54,000 mg/m ³ | OSHA P0 |
| | | PEL | 5,000 ppm 9,000 mg/m ³ | CAL PEL |
| | | STEL | 30,000 ppm 54,000 mg/m ³ | CAL PEL |
| 1,2,4-trimethylbenzene | 95-63-6 | TWA | 25 ppm 125 mg/m ³ | NIOSH REL |

Biological occupational exposure limits

| Component | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------------|----------|----------------------|---------------------|---|---------------------------|-----------|
| TETRACHLOROETHENE | 127-18-4 | Tetrachloroethylene | In blood | Prior to shift (16 hours after exposure ceases) | 0.5 mg/l | ACGIH BEI |
| TETRACHLOROETHENE | | Tetrachloroethylene | In end-exhaled air | Prior to shift (16 hours after exposure ceases) | 3.ppm | ACGIH BEI |
| TRICHLOROETHENE | 79-01-6 | Trichloroacetic acid | Urine | End of shift at end of workweek | 15 mg/l | ACGIH BEI |
| TRICHLOROETHENE | | Trichloroethanol | In blood | End of shift at end of workweek | 0.5 mg/l | ACGIH BEI |
| TRICHLOROETHENE | | Trichloroethylene | In end-exhaled air | End of shift at end of workweek | | ACGIH BEI |

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

- with the producers of the protective gloves.
- Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Safety glasses
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Aerosol containing a compressed gas
- Colour : opaque, brown
- Odour : solvent-like
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/freezing point : No data available
- Boiling point : No data available
- Flash point :
No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : The product is not flammable.
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Density : 1.210 g/cm³
- Solubility(ies)
- Water solubility : insoluble
- Solubility in other solvents : not determined
- Partition coefficient: n-octanol/water : No data available
- Auto-ignition temperature : not determined
- Thermal decomposition : No data available
- Viscosity

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

Viscosity, kinematic : No data available
 Heat of combustion : 18.53 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.
 Extremes of temperature and direct sunlight.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Carbon oxides
 Chlorine
 Phosgene
 Hydrogen fluoride

SECTION 11. TOXICOLOGICAL INFORMATION
Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are immediate and delayed.
 Symptoms may include irritation, redness, pain, and rash.
 Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.
 Chronic effects are delayed and symptoms may not be observed during an exposure.
 Effects are dependent on exposure (dose, concentration, contact time).

Carcinogenicity:

| | | |
|--------------|--|----------|
| IARC | Group 1: Carcinogenic to humans | |
| | trichloroethylene | 79-01-6 |
| ACGIH | Group 2A: Probably carcinogenic to humans | |
| | tetrachloroethylene | 127-18-4 |
| | Suspected human carcinogen | |
| | trichloroethylene | 79-01-6 |
| | Confirmed animal carcinogen with unknown relevance to humans | |
| | tetrachloroethylene | 127-18-4 |

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

| | | |
|-------------|--|----------|
| OSHA | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. | |
| NTP | Known to be human carcinogen | |
| | trichloroethylene | 79-01-6 |
| | Reasonably anticipated to be a human carcinogen | |
| | tetrachloroethylene | 127-18-4 |

Acute toxicity**Product:**

| | |
|---------------------------|---|
| Acute oral toxicity | : Acute toxicity estimate : 4,421 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : Acute toxicity estimate : 149.66 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |

Components:**tetrachloroethylene:**

| | |
|---------------------------|---|
| Acute oral toxicity | : LD50 Oral Rat: 2,629 mg/kg |
| Acute inhalation toxicity | : LC50 Rat: 34,200 mg/l Exposure time: 8 h |
| Acute dermal toxicity | : LD50 Dermal Rabbit: 5,000 mg/kg |

trichloroethylene:

| | |
|---------------------------|--|
| Acute oral toxicity | : LD50 Oral Rat: 4,920 mg/kg |
| Acute inhalation toxicity | : LC50 Mouse: 8450 ppm Exposure time: 4 h |
| Acute dermal toxicity | : LD50 Dermal Rabbit: > 20,000 mg/kg |

Distillates (petroleum), hydrotreated heavy naphthenic:

| | |
|---------------------------|--|
| Acute oral toxicity | : LD50 Rat: > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 Rat: > 5 mg/l Exposure time: 4 h |
| Acute dermal toxicity | : LD50 Rabbit: > 5,000 mg/kg |

Skin corrosion/irritation**Product:**

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

Remarks: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-octanol/water : Remarks: No data available

Components:

tetrachloroethylene :
Partition coefficient: n-octanol/water : log Pow: 3.40

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

octanol/water
trichloroethylene :
 Partition coefficient: n- : log Pow: 2.29
 octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

Product:

| | |
|-----------------------------------|---|
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances |
| Remarks | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life. |

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

| | |
|------------------------|---|
| Waste from residues | : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. |
| Contaminated packaging | : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

| |
|---|
| Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY |
|---|

| |
|---|
| Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity |
|---|

| |
|--|
| Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity |
|--|

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

Transportation Regulation: IATA (Passenger Air):
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada):
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

trichloroethylene 79-01-6

EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|---------------------|----------|-----------------------|--------------------------------|
| tetrachloroethylene | 127-18-4 | 100 | 181 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Gases under pressure
Serious eye damage or eye irritation
Carcinogenicity
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|------------------------|----------|----------|
| tetrachloroethylene | 127-18-4 | 54.99 % |
| trichloroethylene | 79-01-6 | 8.385 % |
| 1,2,4-trimethylbenzene | 95-63-6 | 1.0023 % |

California Prop. 65

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019



WARNING: This product can expose you to chemicals including tetrachloroethylene, trichloroethylene, ethylbenzene, benzene, naphthalene, which is/are known to the State of California to cause cancer, and trichloroethylene, toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL All components of this product are on the Canadian DSL
TSCA On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

| | |
|------------------------|-----------|
| HEALTH | 2* |
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 3 |

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms :



Signal word :

Danger:

Hazard statements :

Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause cancer.

Precautionary statements :

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-

A00390 MST PENETRATING LUBE 20NET19

Version 3.0

Revision Date 04/20/2018

Print Date 01/17/2019

ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. Pressurized container: Do not pierce or burn, even after use.

Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage: Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal: Dispose of contents/container in accordance with local regulation.

| | |
|----------------|------------|
| Version: | 3.0 |
| Revision Date: | 04/20/2018 |
| Print Date: | 01/17/2019 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.