

**A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK**

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK

Material number : 00000000001044121

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

**Emergency telephone numbers**
**For SDS Information** : Compliance Services 1-877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

**Recommended use of the chemical and restrictions on use**

Recommended use : Air Care

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

**SECTION 2. HAZARDS IDENTIFICATION**
**Emergency Overview**

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | opaque                             |
| Odour      | pleasant                           |

**GHS Classification**

 Flammable aerosols : Category 2  
 Gases under pressure : Liquefied gas  
 Skin sensitisation : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

 Hazard statements : H223 Flammable aerosol.  
 H280 Contains gas under pressure; may explode if heated.  
 H317 May cause an allergic skin reaction.

## A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

Precautionary statements : **Prevention:**  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Pressurized container: Do not pierce or burn, even after use.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves.

**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**  
 P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**  
 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

| Chemical name        | CAS-No.    | Concentration [%] |
|----------------------|------------|-------------------|
| alkanes, C12-14-iso- | 68551-19-9 | >= 10 - < 20      |
| butane               | 106-97-8   | >= 10 - < 20      |
| propane              | 74-98-6    | >= 1 - < 5        |
| dodecyl methacrylate | 142-90-5   | >= 1 - < 5        |
| benzyl salicylate    | 118-58-1   | >= 0.1 - < 1      |

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.  
 If skin irritation persists, call a physician.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 Remove contact lenses.  
 Protect unharmed eye.

**A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK**

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

- Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
If a person vomits when lying on his back, place him in the recovery position.  
If conscious, drink plenty of water.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
May cause an allergic skin reaction.  
Review section 2 of SDS to see all potential hazards.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Smoke
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK**

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Keep in a dry, cool and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

| Components | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|------------|----------|----------------------------------|---|-----------|
| butane     | 106-97-8 | TWA                              | 800 ppm<br>1,900 mg/m <sup>3</sup>                | NIOSH REL |
|            |          | TWA                              | 800 ppm<br>1,900 mg/m <sup>3</sup>                | OSHA P0   |
|            |          | PEL                              | 800 ppm<br>1,900 mg/m <sup>3</sup>                | CAL PEL   |
| propane    | 74-98-6  | TWA                              | 1,000 ppm   | ACGIH     |
|            |          | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | NIOSH REL |
|            |          | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | OSHA Z-1  |

# SAFETY DATA SHEET



## A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

|  |  |     |                          |         |
|--|--|-----|--------------------------|---------|
|  |  | TWA | 1,000 ppm<br>1,800 mg/m3 | OSHA P0 |
|  |  | PEL | 1,000 ppm<br>1,800 mg/m3 | CAL PEL |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Skin should be washed after contact.

Eye protection

: Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection

: No special protection is required.

Hygiene measures

: When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a liquefied gas

Colour : opaque

Odour : pleasant

pH : Not applicable

Melting point/freezing point : Not applicable

Boiling point : not determined

Flash point :  
No data available

Evaporation rate : < 1

Flammability (solid, gas) : Flammable aerosol.

Vapour pressure : No data available

Density : 0.92 g/cm3

Solubility(ies)

Water solubility : soluble in hot water, soluble in cold water

Solubility in other solvents : slightly soluble

Partition coefficient: n-octanol/water : No data available

**A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK**

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

---

|                           |                     |
|---------------------------|---------------------|
| Auto-ignition temperature | : not determined    |
| Thermal decomposition     | : No data available |
| Viscosity                 |                     |
| Viscosity, kinematic      | : No data available |
| Heat of combustion        | : > 20 kJ/g         |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Stable  |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents  |
| Hazardous decomposition products   | : Carbon oxides   |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Potential Health Effects**

|                              |   |
|------------------------------|---|
| Aggravated Medical Condition | : None known.   |
| Symptoms of Overexposure     | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash. |

**Carcinogenicity:**

|              |   |
|--------------|---|
| <b>IARC</b>  | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| <b>ACGIH</b> | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.            |
| <b>OSHA</b>  | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.             |
| <b>NTP</b>   | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.                 |

**Acute toxicity**

**Components:**

**benzyl salicylate:**

Acute oral toxicity : LD50 Oral Rat: 2,227 mg/kg

**Skin corrosion/irritation**

**Product:**

Remarks: May cause skin irritation and/or dermatitis.

**Serious eye damage/eye irritation**

**Product:**

Remarks: May irritate eyes.

**Respiratory or skin sensitisation**

**Product:**

Remarks: Causes sensitisation.

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**alkanes, C12-14-iso-:**

**butane:**

**propane:**

**dodecyl methacrylate:**

**benzyl salicylate:**

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information**

**Product:**

Remarks: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential****Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:****butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues

: The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging

: Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.



---

**SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):  
UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):  
UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

**SECTION 15. REGULATORY INFORMATION**

**TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Sudden Release of Pressure Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA:**



**HMIS III:**

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>3</b> |
| <b>FLAMMABILITY</b>    | <b>3</b> |
| <b>PHYSICAL HAZARD</b> | <b>2</b> |

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

**OSHA - GHS Label Information:**

Hazard pictograms



Signal word

Hazard statements

Precautionary statements

: **Warning:**  
 : Flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction.

: **Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.  
**Response:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.  
**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 3.1        |
| Revision Date: | 05/08/2017 |
| Print Date:    | 06/23/2017 |

**A07238 ZEP COM SMK ELM ZUSOE16 20N16 STK**

Version 3.1

Revision Date 05/08/2017

Print Date 06/23/2017

---

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.