

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10

Material number : 00000000001049475

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

**Emergency telephone numbers**
**For SDS Information** : Compliance Services 1-877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

**Recommended use of the chemical and restrictions on use**

Recommended use : Air Care

**SECTION 2. HAZARDS IDENTIFICATION**
**Emergency Overview**

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | clear                              |
| Odour      | characteristic                     |

**GHS Classification**

Flammable aerosols : Category 1  
Gases under pressure : Liquefied gas  
Eye irritation : Category 2A  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear eye protection/ face protection.

**Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

P403 Store in a well-ventilated place.

**Disposal:**

Dispose of contents/container in accordance with local regulation.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

| Chemical name | CAS-No.  | Concentration [%] |
|---------------|----------|-------------------|
| acetone       | 67-64-1  | >= 70 - < 90      |
| propane       | 74-98-6  | >= 10 - < 20      |
| butane        | 106-97-8 | >= 5 - < 10       |

The exact percentages of disclosed substances are withheld as trade secrets.

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
If skin irritation persists, call a physician.  
If on clothes, remove clothes.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.  
If eye irritation persists, consult a specialist.  
Remove contact lenses.

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

- Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.  
Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.
- Symptoms may include irritation, redness, pain, and rash.  
Effects are dependent on exposure (dose, concentration, contact time).  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Review section 2 of SDS to see all potential hazards.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray jet  
Carbon dioxide (CO<sub>2</sub>)  
Alcohol-resistant foam  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Smoke
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, : Use personal protective equipment.

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

|   |   |
|---|---|
| protective equipment and emergency procedures         | <p>Ensure adequate ventilation.<br/>Remove all sources of ignition.<br/>Evacuate personnel to safe areas.<br/>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</p> |
| Environmental precautions                             | <p>: Prevent product from entering drains.<br/>Prevent further leakage or spillage if safe to do so.<br/>If the product contaminates rivers and lakes or drains inform respective authorities.</p>                      |
| Methods and materials for containment and cleaning up | <p>: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br/>Sweep up or vacuum up spillage and collect in suitable container for disposal.</p>                      |

---

**SECTION 7. HANDLING AND STORAGE**

|                             |   |
|-----------------------------|---|
| Advice on safe handling     | <p>: Avoid exposure - obtain special instructions before use.<br/>Avoid contact with skin and eyes.<br/>For personal protection see section 8.<br/>Do not breathe vapours or spray mist.<br/>Take precautionary measures against static discharges.<br/>Provide sufficient air exchange and/or exhaust in work rooms.<br/>Dispose of rinse water in accordance with local and national regulations.<br/>Always replace cap after use.</p> |
| Conditions for safe storage | <p>: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.<br/>No smoking.<br/>Observe label precautions.<br/>Keep in a dry, cool and well-ventilated place.<br/>Electrical installations / working materials must comply with the technological safety standards.</p>                       |
| Materials to avoid          | <p>: Oxidizing agents<br/>Store and keep away from bases and alkalies.</p>  |

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

| Components | CAS-No. | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|------------|---------|----------------------------------|---|-----------|
| acetone    | 67-64-1 | TWA                              | 250 ppm   | ACGIH     |
|            |         | STEL                             | 500 ppm   | ACGIH     |
|            |         | TWA                              | 250 ppm<br>590 mg/m <sup>3</sup>                  | NIOSH REL |
|            |         | TWA                              | 1,000 ppm   | OSHA Z-1  |

# SAFETY DATA SHEET



## A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

|         |          |      |                                      |           |
|---------|----------|------|--------------------------------------|-----------|
|         |          |      | 2,400 mg/m <sup>3</sup>              |           |
|         |          | TWA  | 750 ppm<br>1,800 mg/m <sup>3</sup>   | OSHA P0   |
|         |          | STEL | 1,000 ppm<br>2,400 mg/m <sup>3</sup> | OSHA P0   |
|         |          | STEL | 750 ppm<br>1,780 mg/m <sup>3</sup>   | CAL PEL   |
|         |          | C    | 3,000 ppm                            | CAL PEL   |
|         |          | PEL  | 500 ppm<br>1,200 mg/m <sup>3</sup>   | CAL PEL   |
| propane | 74-98-6  | TWA  | 1,000 ppm                            | ACGIH     |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m <sup>3</sup> | NIOSH REL |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m <sup>3</sup> | OSHA Z-1  |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m <sup>3</sup> | OSHA P0   |
|         |          | PEL  | 1,000 ppm<br>1,800 mg/m <sup>3</sup> | CAL PEL   |
| butane  | 106-97-8 | TWA  | 800 ppm<br>1,900 mg/m <sup>3</sup>   | NIOSH REL |
|         |          | TWA  | 800 ppm<br>1,900 mg/m <sup>3</sup>   | OSHA P0   |
|         |          | PEL  | 800 ppm<br>1,900 mg/m <sup>3</sup>   | CAL PEL   |

### Biological occupational exposure limits

| Component   | CAS-No. | Control parameters | Biological specimen | Sampling time  | Permissible concentration | Basis     |
|-------------|---------|--------------------|---------------------|--|---------------------------|-----------|
| 2-PROPANONE | 67-64-1 | Acetone            | Urine               | End of shift (As soon as possible after exposure ceases) | 25 mg/l                   | ACGIH BEI |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Safety glasses

Skin and body protection

: Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

---

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : clear

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point : No data available

Flash point :  
Not applicable

Evaporation rate : not determined

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 70 hPa

Relative vapour density : No data available

Density : < 1 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : not determined

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : not determined

Thermal decomposition : No data available

Viscosity

Viscosity, kinematic : No data available

Heat of combustion : 34.80 kJ/g

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

---

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

---

|                                    |   |
|------------------------------------|---|
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Bases<br>Oxidizing agents<br>Amines   |
| Hazardous decomposition products   | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide  |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Potential Health Effects**

|                              |   |
|------------------------------|---|
| Aggravated Medical Condition | : None known.   |
| Symptoms of Overexposure     | : Effects are immediate and delayed.<br>Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.<br><br>Symptoms may include irritation, redness, pain, and rash. Effects are dependent on exposure (dose, concentration, contact time). |

**Carcinogenicity:**

|              |   |
|--------------|---|
| <b>IARC</b>  | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| <b>ACGIH</b> | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.            |
| <b>OSHA</b>  | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.             |
| <b>NTP</b>   | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.                 |

**Acute toxicity****Components:**

|                           |                         |
|---------------------------|-------------------------|
| <b>acetone:</b>           |                         |
| Acute oral toxicity       | : LD50 Rat: 5,800 mg/kg |
| Acute inhalation toxicity | : LC50 Rat: 132 mg/l    |

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

Exposure time: 3 h

LC50 Rat: 50.1 mg/l

Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg

LD50 Rabbit: > 7,426 mg/kg

**propane:**

Acute inhalation toxicity : LC50 Mouse: 1,237 mg/l  
Exposure time: 2 h

LC50 Rat: 658 mg/l  
Exposure time: 4 h

LC50 Rat: 1,355 mg/l

**butane:**

Acute inhalation toxicity : LC50 Mouse: 1,237 mg/l  
Exposure time: 2 h

LC50 Rat: 1,355 mg/l

**Skin corrosion/irritation**

**Product:**

Remarks: May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation**

**Product:**

Remarks: Severe eye irritation

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**acetone:**

**propane:**

**butane:**

**STOT - single exposure**

No data available



**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information**

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

**Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:**

**butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

**A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10**

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

**SECTION 13. DISPOSAL CONSIDERATIONS**
**Disposal methods**

- Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

**SECTION 15. REGULATORY INFORMATION**

- TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know Act**
**CERCLA Reportable Quantity**

| Components | CAS-No. | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|------------|---------|-----------------------|--------------------------------|
| acetone    | 67-64-1 | 5000                  | *                              |

# SAFETY DATA SHEET



## A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Sudden Release of Pressure Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



#### HMIS III:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>3</b> |
| <b>FLAMMABILITY</b>    | <b>4</b> |
| <b>PHYSICAL HAZARD</b> | <b>2</b> |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

# SAFETY DATA SHEET



## A00266AM ZEP MUSTY ODOR ELIMINATOR 20N10

Version 1.2

Revision Date 03/08/2017

Print Date 12/09/2018

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statements

:  
**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection.  
**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.  
**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.2        |
| Revision Date: | 03/08/2017 |
| Print Date:    | 12/09/2018 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.