

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Material number : 00000000001047997

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

**Emergency telephone numbers****For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

## SECTION 2. HAZARDS IDENTIFICATION

**Emergency Overview**

|            |                                     |
|------------|-------------------------------------|
| Appearance | Aerosol containing a compressed gas |
| Colour     | colourless                          |
| Odour      | solvent-like                        |

**GHS Classification**

Flammable aerosols : Category 1  
 Gases under pressure : Compressed gas  
 Acute toxicity (Oral) : Category 4  
 Acute toxicity (Inhalation) : Category 4  
 Acute toxicity (Dermal) : Category 4  
 Skin irritation : Category 2  
 Eye irritation : Category 2A  
 Specific target organ toxicity - single exposure : Category 1  
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

**GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
 H280 Contains gas under pressure; may explode if heated.  
 H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.  
 H370 Causes damage to organs.

## Precautionary statements

: **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Pressurized container: Do not pierce or burn, even after use.  
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear eye protection/ face protection.  
 P280 Wear protective gloves/ protective clothing.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.  
 P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P405 Store locked up.  
 P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

Dispose of contents/container in accordance with local regulation.

**Potential Health Effects****Carcinogenicity:****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**AJ0731 ZEP AUTO LOW VOC B&P ZAA731 20n13**

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

| Chemical Name                           | CAS-No.    | Concentration [%] |
|---|------------|-------------------|
| acetone                                 | 67-64-1    | >= 50 - < 70      |
| methanol                                | 67-56-1    | >= 20 - < 30      |
| Naphtha (petroleum), hydrotreated light | 64742-49-0 | >= 20 - < 30      |
| carbon dioxide                          | 124-38-9   | >= 5 - < 10       |
| heptane                                 | 142-82-5   | >= 1 - < 5        |

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.  
Consult a physician after significant exposure.  
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
If skin irritation persists, call a physician.  
If on clothes, remove clothes.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.  
If eye irritation persists, consult a specialist.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Take victim immediately to hospital.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray jet  
Carbon dioxide (CO2)  
Alcohol-resistant foam  
Dry chemical

**AJ0731 ZEP AUTO LOW VOC B&P ZAA731 20n13**

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

---

- Unsuitable extinguishing media : Water spray jet
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Standard procedure for chemical fires.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.
- 

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Do not breathe vapours or spray mist.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Always replace cap after use.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or
-

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

red-hot objects.  
 No smoking.  
 Observe label precautions.  
 Keep in a dry, cool and well-ventilated place.  
 Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components     | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|----------------|----------|----------------------------------|---|-----------|
| acetone        | 67-64-1  | TWA                              | 500 ppm   | ACGIH     |
|                |          | STEL                             | 750 ppm   | ACGIH     |
|                |          | TWA                              | 250 ppm<br>590 mg/m <sup>3</sup>                  | NIOSH REL |
|                |          | TWA                              | 1,000 ppm<br>2,400 mg/m <sup>3</sup>              | OSHA Z-1  |
|                |          | TWA                              | 750 ppm<br>1,800 mg/m <sup>3</sup>                | OSHA P0   |
|                |          | STEL                             | 1,000 ppm<br>2,400 mg/m <sup>3</sup>              | OSHA P0   |
| methanol       | 67-56-1  | TWA                              | 200 ppm   | ACGIH     |
|                |          | STEL                             | 250 ppm   | ACGIH     |
|                |          | TWA                              | 200 ppm<br>260 mg/m <sup>3</sup>                  | NIOSH REL |
|                |          | ST                               | 250 ppm<br>325 mg/m <sup>3</sup>                  | NIOSH REL |
|                |          | TWA                              | 200 ppm<br>260 mg/m <sup>3</sup>                  | OSHA Z-1  |
|                |          | STEL                             | 250 ppm<br>325 mg/m <sup>3</sup>                  | OSHA P0   |
| carbon dioxide | 124-38-9 | TWA                              | 5,000 ppm   | ACGIH     |
|                |          | STEL                             | 30,000 ppm  | ACGIH     |
|                |          | TWA                              | 5,000 ppm<br>9,000 mg/m <sup>3</sup>              | NIOSH REL |
|                |          | ST                               | 30,000 ppm<br>54,000 mg/m <sup>3</sup>            | NIOSH REL |
|                |          | TWA                              | 5,000 ppm<br>9,000 mg/m <sup>3</sup>              | OSHA Z-1  |
|                |          | TWA                              | 10,000 ppm<br>18,000 mg/m <sup>3</sup>            | OSHA P0   |
| heptane        | 142-82-5 | STEL                             | 30,000 ppm<br>54,000 mg/m <sup>3</sup>            | OSHA P0   |
|                |          | TWA                              | 85 ppm<br>350 mg/m <sup>3</sup>                   | NIOSH REL |
|                |          | C                                | 440 ppm<br>1,800 mg/m <sup>3</sup>                | NIOSH REL |

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

|  |  |      |                        |          |
|--|--|------|------------------------|----------|
|  |  | TWA  | 500 ppm<br>2,000 mg/m3 | OSHA Z-1 |
|  |  | TWA  | 400 ppm<br>1,600 mg/m3 | OSHA P0  |
|  |  | STEL | 500 ppm<br>2,000 mg/m3 | OSHA P0  |

**Biological occupational exposure limits**

| Component   | CAS-No. | Control parameters | Biological specimen | Sampling time  | Permissible concentration | Basis     |
|-------------|---------|--------------------|---------------------|--|---------------------------|-----------|
| 2-PROPANONE | 67-64-1 | Acetone            | Urine               | End of shift (As soon as possible after exposure ceases) | 50 mg/l                   | ACGIH BEI |
| Methanol    | 67-56-1 | Methanol           | Urine               | End of shift (As soon as possible after exposure ceases) | 15 mg/l                   | ACGIH BEI |

**Personal protective equipment**

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Safety glasses  
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : Aerosol containing a compressed gas
- Colour : colourless
- Odour : solvent-like

**AJ0731 ZEP AUTO LOW VOC B&P ZAA731 20n13**

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

---

|  |                                |
|--|--------------------------------|
| Odour Threshold                        | : No data available            |
| pH                                     | : Not applicable               |
| Melting point/freezing point           | : No data available            |
| Boiling point                          | : No data available            |
| Flash point                            | :<br>Not applicable            |
| Evaporation rate                       | : No data available            |
| Flammability (solid, gas)              | : Extremely flammable aerosol. |
| Upper explosion limit                  | : No data available            |
| Lower explosion limit                  | : No data available            |
| Vapour pressure                        | : No data available            |
| Relative vapour density                | : No data available            |
| Density                                | : 0.76 g/cm <sup>3</sup>       |
| Solubility(ies)                        |                                |
| Water solubility                       | : slightly soluble             |
| Solubility in other solvents           | : not determined               |
| Partition coefficient: n-octanol/water | : No data available            |
| Auto-ignition temperature              | : not determined               |
| Thermal decomposition                  | : No data available            |
| Viscosity                              |                                |
| Viscosity, kinematic                   | : No data available            |
| Heat of combustion                     | : 30.17 kJ/g                   |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Stable  |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Extremes of temperature and direct sunlight.<br>Heat, flames and sparks.                            |
| Incompatible materials             | : No data available   |
| Hazardous decomposition products   | : No decomposition if stored and applied as directed.   |

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

**Product:**

Acute oral toxicity : Acute toxicity estimate : 439.26 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 2.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 1,318 mg/kg  
Method: Calculation method

**Components:****acetone:**

Acute oral toxicity : LD50 Rat: 5,800 mg/kg

Acute inhalation toxicity : LC50 Rat: 132 mg/l  
Exposure time: 3 h

LC50 Rat: 50.1 mg/l

Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg

LD50 Rabbit: > 7,426 mg/kg

**heptane:**

Acute inhalation toxicity : LC50 Rat: 103,000 mg/l  
Exposure time: 4 h

## Skin corrosion/irritation

**Product:**

Remarks: Moderate skin irritation

## Serious eye damage/eye irritation

**Product:**

Remarks: Eye irritation

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity



## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

No data available

**Reproductive toxicity**

No data available

acetone:  
methanol:  
Naphtha (petroleum), hydrotreated light:  
carbon dioxide:  
heptane:

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information****Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential****Product:**

Partition coefficient: n- : Remarks: No data available  
octanol/water

**Components:****heptane :**

Partition coefficient: n- : log Pow: > 3.0  
octanol/water  
log Pow: 5

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

|                                   |   |
|-----------------------------------|---|
| Regulation                        | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  |
| Remarks                           | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.   |

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

|                        |  |
|------------------------|--|
| Waste from residues    | : Dispose of in accordance with local regulations.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>The product should not be allowed to enter drains, water courses or the soil. |
| Contaminated packaging | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.   |

## SECTION 14. TRANSPORT INFORMATION

|   |
|---|
| Transportation Regulation: 49 CFR (USA):<br>ORM-D, CONSUMER COMMODITY |
|---|

|  |
|--|
| Transportation Regulation: IMDG (Vessel):<br>UN1950, AEROSOLS, 2.1, - Limited quantity |
|--|

|  |
|--|
| Transportation Regulation: IATA (Cargo Air):<br>UN1950, Aerosols, flammable, 2.1, - Limited quantity |
|--|

|  |
|--|
| Transportation Regulation: IATA (Passenger Air):<br>UN1950, Aerosols, flammable, 2.1, - Limited quantity |
|--|

|   |
|---|
| Transportation Regulation: TDG (Canada):<br>UN1950, AEROSOLS, 2.1, - Limited quantity |
|---|

## SECTION 15. REGULATORY INFORMATION

**EPCRA - Emergency Planning and Community Right-to-Know Act**

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

**CERCLA Reportable Quantity**

| Components | CAS-No. | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|------------|---------|-----------------------|--------------------------------|
| acetone    | 67-64-1 | 5000                  | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Sudden Release of Pressure Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
methanol 67-56-1 22.7658 %

**California Prop 65** WARNING! This product contains a chemical known to the State of California to cause cancer.  
benzene 71-43-2  
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.  
methanol 67-56-1  
toluene 108-88-3  
benzene 71-43-2

**The components of this product are reported in the following inventories:**

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL  
**AICS** On the inventory, or in compliance with the inventory  
**NZIoC** Not in compliance with the inventory  
**PICCS** On the inventory, or in compliance with the inventory  
**IECSC** On the inventory, or in compliance with the inventory

**Inventory Acronym and Validity Area Legend:**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECl (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**SECTION 16. OTHER INFORMATION**

## AJ0731 ZEP AUTO LOW VOC B&amp;P ZAA731 20n13


Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

## Further information

## NFPA:



## HMIS III:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>2</b> |
| <b>FLAMMABILITY</b>    | <b>4</b> |
| <b>PHYSICAL HAZARD</b> | <b>2</b> |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

## OSHA GHS Label Information:

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Extremely flammable aerosol. Contains gas under pressure; may explode if heated.  
Harmful if swallowed, in contact with skin or if inhaled Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Causes damage to organs.

Precautionary statements

: **Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Wear protective gloves/ protective clothing.  
**Response:** IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/ physician. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.  
**Storage:** Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 3.0        |
| Revision Date: | 08/31/2015 |
| Print Date:    | 08/21/2017 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.

# SAFETY DATA SHEET



## AJ0731 ZEP AUTO LOW VOC B&P ZAA731 20n13

Version 3.0

Revision Date 08/31/2015

Print Date 08/21/2017

---

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.